








Design Freedom



for a load condition many **different** correct **solutions** for the flow of inner forces are possible!





Design Freedom

How do inner forces flow? What does this mean for design?

structural design is primarily a question of **design thinking**, it is a creative & intellectual process!























Optimized Truss

the load is transfered through the material into the support points

inner forces are forces inside the material produced by the load

consequence: material is needed only where inner forces are flowing



Lecture 6 ARK-A3001 01.12.2020




topologically optimized anchor point

7


Shaping of Elements


the load is transfered through the material into the support points

inner forces are forces inside the material produced by the load




consequence: material is needed only where inner forces are flowing







Shaping of Elements Shaping of Structures




Alvaro Siza: Expo-Pavilion Lisbon, Portugal, 1998

Shaping of Structures






Shaping of Structures



EMBT: Renovation, Santa Caterina Market Barcelona, Spain, 1997 - 2005

Lecture 6



















Jørn Utzon: pagoda sketch, 1962




Jørn Utzon: Sydney Opera sketch, 1959



Alvar Aalto: Maison Louis Carré model, 1962


Sverre Fehn: Nordic Pavilion Venice, Italy, 1962

Lecture 6 ARK-A3001 01.12.2020




Sverre Fehn: Nordic Pavilion


Venice, Italy, 1962














20





Lecture 6 ARK-A3001 01.12.2020




Sverre Fehn: Nordic Pavilion Venice, Italy, 1962


Lecture 6









structural grid




structural grid with infill



structural grid with infill as column-plate combination




structural grid with infill as column-plate combination




redirected by self-weight of wall













01.12.2020






01.12.2020




wide spreading of forces is required to achieve wall-like behavior

cross-bracing






distribution of horizontal forces into space




wide spreading of forces is required to achieve wall-like behavior

wall






distribution of horizontal forces into space




redirected by force distribution











one wall is not enough to ensure equilibrium in the plate



redirected by force distribution within plate





Lateral Load




one wall is not enough to ensure equilibrium in the plate

how many wall are required to ensure equilibrium in the plate against horizontal loads?







the forces add up to zero the line of action of the forces intersect in one point




three walls (respectively directions) that do not intersect in one common point are required to ensure equilibrium in the plate


Lateral Load







three walls (respectively directions) that do not intersect in one common point are required to ensure equilibrium in the plate







structural grid with core











Five Points Towards A New Architecture

Le Corbusier, 1924

The supports

The roof gardens

The free design of the ground-plan

The horizontal window

The free design of the façade





Le Corbusier: Dom-Ino House, prototype, 1914
















Le Corbusier: Villa Savoye


Poissy, France, 1931























































Christian Kerez: House with one wall Zurich, Switzerland, 2007












Shigeru Ban: Paper House, Lake Yamanaka, Yamanashi, Japan, 1995









01.12.2020






Toyo Ito: Mediatheque Sendai, Japan, 2001










Lecture 6 ARK-A3001


01.12.2020
























Rem Koolhaas: Villa dall'Ava Saint-Cloud, France, 1991

Structure for Spatial Organization



Rem Koolhaas: Villa dall'Ava Saint-Cloud, France, 1991






























Livio Vacchini: Office Locarno, Switzerland, 1985
























Christian Kerez: Leutschenbach School Zurich, Switzerland, 2009





ARK-A3001

01.12.2020














01.12.2020










Structure as Concept



















Structure as Concept



OOPEAA: Kärsämäki Church Kärsämäki, Finland, 2004

Structure as Concept





OOPEAA: Kärsämäki Church Kärsämäki, Finland, 2004











Structure and Tectonic



what is the relation between two programmatic units?





Mies van der Rohe: Farnsworth House

Plano, USA, 1951





Lecture 6 ARK-A3001 01.12.2020












Structure and Tectonic



Mies van der Rohe: Farnsworth House Plano, USA, 1951





"Structure as a more general and abstract concept refers to a system or principle of arrangement destined to cope with forces at work in a building, such as post-and-lintel, arch, vault, dome and folded plate. Construction on the other hand refers to the concrete realization of a principle or system — a realization which may be carried out in a number of materials and ways. ...

When a structural concept has found its implementation through construction, the visual result will affect us through certain expressive qualities which clearly have something to do with the play of forces and corresponding arrangement of parts in the building, yet cannot be described in terms of construction and structure alone. For these qualities, which are expressive of a relation of form to force, the term **tectonic** should be reserved."

Eduard Sekler

"No matter how good an architect you are, if you have no chance of expressing your poetic idea in structures, you lack the very foundation of architecture. The structure is a language, a way of expressing yourself, and there should be a balance between thought and language. Every story has a structure."

Sverre Fehn


Mies van der Rohe: Farnsworth House

Plano, USA, 1951





















Exercise: Building Analysis

