



# User authentication

**Tuomas Aura**  
CS-C3130 Information security

Aalto University, Autumn 2020

# Outline

1. Password storage on server
2. Password guessing attacks
3. Entropy and password strength
4. Other password security issues
5. Better user authentication?
6. Physical authentication tokens, two-factor authentication

# User authentication

- Verifying user identity
- Needed for **access control** and **auditing**

access control = authentication + authorization

- User authentication is based on **credentials**
  - Password, key, smart card etc.

Something you know,  
something you have, or  
something you are

# Username and password


- Password and PIN code are the most common types of authentication credentials
- Password is a shared secret between the user and computer system
  - Limitations arise from the reliance on human memory and input methods, and from the lack of cryptographic computing capability in humans
- What attacks are there against passwords?

# **PASSWORD STORAGE ON SERVER**

# Storing passwords on server

- Assume that your password database is public!
  - Unix `/etc/passwd` is traditionally world readable
  - Attackers often read server files or database tables  
e.g. with `SQL injection`
- How to store in a public database?

# Storing passwords on server



- Store a **one-way hash value** of the password
- When user enters a password, compute its hash and compare
- Use a **slow hash function**, e.g. PBKDF2, Argon2
- Include **salt**: a user-specific random string. not secret

# Storing passwords on server

- How to store passwords in a public database?

Database record:

```
username, salt, slowhash( password | salt)
```

- Store a **cryptographic hash** i.e. **one-way hash value** of the password
- When user enters a password, compute its hash and compare
- Use a **slow hash function** to make brute-force cracking slower
- Include **salt**: user-specific random string, not secret



# One-way function

- **Cryptographic hash functions** have the **one-way** property:  
Easy to compute the hash  $h(M)$  for a given message  $M$ , but difficult to compute  $M$  given  $h(M)$ 
  - Attacker can only guess  $M$  and compare the hashes
- Examples: SHA-256, SHA-3 (old ones: SHA-1, MD5)

# Slow hash function

- Standards hash functions are unnecessarily fast!
- Iterative hash:
  - `hash(pw | hash(pw | salt))` takes twice as long as `hash(pw | salt)`
  - Iterate N times ( $N > 100\,000$ ) for desired delay
- Why? Not a significant cost when verifying user login, but increases a brute-force attacker's work by factor N
- Slow functions designed specifically for password hashing:  
`PBKDF2, Argon2`

Use these; do not invent your own!

# Salt in password hash

- Why salt?

username, salt, slow\_hash( password | salt)

- Salt prevents

- Simultaneous brute-force cracking of many passwords
- Pre-computation attacks including rainbow tables
- Equality comparison between passwords

# PBKDF2

- PBKDF2 (P, S, c, dkLen)

P = password

S = salt

c = iteration count

dkLen = length of the result

PRF = keyed pseudorandom function

i.e. keyed hash function

$$F(P, S, c, i) = U_1 \text{ xor } U_2 \text{ xor } \dots \text{ xor } U_c$$
$$U_1 = \text{PRF}(P, S || i)$$
$$U_2 = \text{PRF}(P, U_1)$$

...

$$U_c = \text{PRF}(P, U_{c-1})$$

Repeat for  $i=1,2,3\dots$  until dkLen output bytes produced

Standard function for  
slow hashing of  
passwords

Many iterations to make  
the computation slower

Used in WPA2-Personal  
for deriving keys from  
Wi-Fi passphrase  
(makes offline cracking  
more difficult)

<https://tools.ietf.org/html/rfc2898>

Extra  
material

# Password hashing details

- Password-based key derivation function **PBKDF2** [PKCS#5,RFC2898]\*
  - Good practical function; uses any standard hash function, at least 64-bit salt, any number of iterations
- **Argon2** uses a configurable amount of memory and data-dependent memory access patterns
  - harder to crack with GPUs and vector processors
- Unix **crypt(3)** [Morris and Thompson 1978]\*
  - **Historical** function for hashing passwords stored in `/etc/passwd`  
`aura:1W90gEpaf4wuk:19057:100:Tuomas Aura:/home/aura:/bin/zsh`
    - Password = eight 7-bit characters = 56-bit DES key (too short, can be brute-forced)
    - Encrypt a zero block 25 times with modified DES
    - 12-bit salt used to modify DES key schedule (**rainbow tables** work because the salt is too short)
    - Stored value includes the salt and encryption result
    - Too short salt enables e.g. rainbow table attacks
- **Shadow passwords**: crypt(3) is replaced by more modern hash functions and the file `/etc/shadow` is read-protected

# **PASSWORD GUESSING ATTACKS**

# Offline cracking



- Attacker obtains the password hashes or other data for verifying password guesses, then starts guessing
- Brute-force attacks vs. intelligent dictionary attacks
  - Most password crackers combine both strategies
- Attacker has great advantages:
  - Unlimited number of guesses
  - Can rent elastic computing capacity for quick results
- To resist cracking, passwords must have cryptographic strength (~128 bits of entropy)

Easy to crack some passwords; hard to crack them all. Why?

# Online trials – much harder



- **Online trials:** attacker tries to login many times
  - Try PIN codes on a phone or cash machine
  - Guess passwords for a web site
  - Port scan ssh servers and guess root password
- System can **limit the number or rate of login attempts**
  - Possible in online services, smartcards, phone, Microsoft account
  - Huge improvement in security: **success probability**  
 $\approx$  **number of allowed guesses / number of possible passwords**
  - **Denial of service (DoS)** is a danger, e.g. bricking a phone; use delay rather than a fixed limit on the number of trials when possible



# Cost of **offline** password cracking

- **Time to crack** a random 10-character (printable ASCII) password from its SHA-256 hash?
  - **High-end multi-core CPU on a PC** computes up to 500 MH/s
  - **High-end graphics card** computes up to 7 GH/s, same cost
  - **Bitcoin miner** computes 15 TH/s
- **Always measure cracking cost in money, not in time, because brute-force cracking parallelizes easily and computing capacity can be rented on demand**
  - One CPU or GPU day  $\approx$  \$1 (cloud CPUs may be cheaper)

# Cost of password cracking - continued

- How long does it take / how much does it cost to crack a random 10-character password (printable 8-bit ASCII) from its SHA-256 hash?
- $95^{10} = 2^{65.7} = 6.0 \cdot 10^{19}$  possible passwords. Thus, brute-force cracking takes at most this many trials (50% on average)
- **High-end CPU on a PC** computes up to 0.5 GH/s (SHA-256)
  - Thus, cracking the password takes  $6.0 \cdot 10^{19} / 0.5 \cdot 10^9 = 1.2 \cdot 10^{11}$  CPU seconds = 1.3M CPU days
  - One CPU day on PC  $\approx$  \$1; Thus, cost of cracking the password is about \$1.3M
- **High-end gaming graphics card** computes up to 7 GH/s and costs about the same as PC
  - Thus, cracking the password takes about 90000 GPU days and costs about \$90000
- **Bitcoin mining rig** can compute 15 TH/s (but supports only a specific hash function)
  - Thus, cracking the password takes  $6.0 \cdot 10^{19} / 15 \cdot 10^{12} = 4.0$ M seconds = 46 days
  - Rig rental online costs \$1.50 per day = \$69 per password
- Time can be shortened by parallelizing; cost remains the same!
- What is the effect of 1000 hash iterations? Changing password length to 8 or 20 characters?

<http://hashcat.net/oclhashcat/>

<https://www.miningrigrentals.com/rigs/sha256>

Cost data  
updated 2020

# Calculations with powers of 2 and 10

- Converting between bases 2 and 10:

$$\text{kilo } k = 2^{10} \approx 10^3$$

$$\text{mega } M = 2^{20} \approx 10^6$$

$$\text{giga } G = 2^{30} \approx 10^9$$

$$\text{tera } T = 2^{40} \approx 10^{12}$$

Mental arithmetic for every computer scientist!

- Conversion examples:

$$300M \approx 300 \cdot 10^6 \quad (< 256 \cdot 2^{20} = 2^{28}, > 128 \cdot 2^{20} = 2^{27})$$

$$2^{34} = 2^4 \cdot 2^{30} = 16G \approx 16 \cdot 10^9$$

Upper and lower bound

- Approximate mental arithmetic example:

- Number of passwords:  $95^8 \approx 100^8 = 10^{16}$

- Hashing speed:  $100 \text{ MH/s} = 10^8 \text{ hash/s}$

- Cracking time:  $10^{16} / 10^8 = 10^8 \text{ CPU seconds}$

- $= 10^8 / (24 \cdot 60 \cdot 60) = 10^8 / 86400 = 10^8 \approx 10^8 / 10^5 = 1000 \text{ CPU days}$

- The exact results with a calculator is 770 CPU days, so we got close

Warning! Potentially big error when approximating the base in exponentiation

- Convert to base 2 or 10, depending on which is easier

# **ENTROPY AND PASSWORD STRENGTH**

# Measuring password strength

- Many possible metrics:
  - Number of possible passwords
  - Entropy = amount of missing information
  - Average/median cost to crack a specific password / any one password
  - Success probability / number of cracked passwords as function of cost
- Metrics are useful for system designers and setting policies
- Measuring strength of user-chosen passwords is impossible

# Password entropy

- Entropy = the amount of missing information

$$\text{Entropy } H = - \sum_{x \in \text{passwords}} (P(x) \cdot \log_2 P(x))$$

$$\leq \log_2(\text{number of possible passwords})$$

- With even probability distribution:

$$H = \log_2(\text{number of possible passwords})$$

– Example: random 8-character alphanumeric passwords:

$$H = \log_2(62^8) = 8 \cdot \log_2(62) = 47.6 \text{ bits}$$

- One-bit increase in entropy approximately halves the success probability or doubles the cost of guessing attacks (exactly so with even probability distribution)

# Sufficient PIN and password entropy

- What is sufficient entropy to resist **online guessing**?


1. Determine the maximum number of guesses, e.g.  $K = 3$
2. Decide acceptable success probability, e.g.  $P = 10^{-6}$
3. Required entropy  $H = \log_2(K/P) = 21.5$  bits

Assuming machine-generated passwords with even probability distribution

- What is sufficient entropy to resist **offline cracking**?

1. Estimate maximum hash rate, e.g. Bitcoin network  $R = 1.2 \cdot 10^{20}$  H/s (SHA-256)
  2. Decide how long the attack could take, e.g.  $T = 1$  year  $= 31.5 \cdot 10^6$  s
  3. Decide acceptable success probability, e.g.  $P = 10^{-6}$
  4. Required entropy  $H = \log_2(R \cdot T / P) = 66.7 + 24.9 + 20$  bits  $= 111.6$  bits  
→ Human effort can crack 92-bit passwords and threaten 112-bit ones.
- Traditionally, **128 bits** has been considered cryptographically strong.

# Human-chosen passwords



THROUGH 20 YEARS OF EFFORT, WE'VE SUCCESSFULLY TRAINED EVERYONE TO USE PASSWORDS THAT ARE HARD FOR HUMANS TO REMEMBER, BUT EASY FOR COMPUTERS TO GUESS.



Note: Entropy is not a perfect metric for password strength, but it is such a fundamental concept in security - and computer-science in general - that you should have a feel of it.  
(Please point out any errors in the examples.)

# PIN entropy examples

## ■ PIN entropy examples:

– Random 4-digit PIN:  $H = - \sum_{1\dots 10000} (1/10000 \cdot \log_2(1/10000)) = \log_2(10000) = 13.3$  bits

– PIN with a date (format DDMM):  $H = \log_2(365) = 8.5$  bits

– Assume only 30% of users replace the random PIN with a date:

$$P_{\text{date}} = 30\% \cdot 1/365 + 70\% \cdot 1/10000 = 0.00089, \quad P_{\text{other}} = 70\% \cdot 1/10000 = 0.00007$$

$$H = - 365 \cdot P_{\text{date}} \cdot \log_2(P_{\text{date}}) - (10000-365) \cdot P_{\text{other}} \cdot \log_2(P_{\text{other}}) = 12.6 \text{ bits}$$

## ■ Password entropy examples:

– Random 18-character (printable ASCII) passwords:  $H = \log_2(95^{18}) = 119.3$  bits - Resist offline cracking!

– Random 10-character (printable ASCII) passwords:  $H = \log_2(95^{10}) = 65.7$  bits

– Random 22-character alphanumeric passwords:  $H = \log_2(62^{22}) = 125.0$  bits - Resist offline cracking!

– Random 8-character alphanumeric passwords:  $H = \log_2(62^8) = 47.6$  bits

– Random 8 lower-case characters:  $H = \log_2(26^8) = 37.6$  bits

– Random 6 lower-case characters + two digits (e.g. okwrsn91):  $H = \log_2(26^6 \cdot 10^2) = 34.8$  bits

– Random 6-character English word + two digits (e.g. banana28):  $H = \log_2(15222 \cdot 10^2) = 20.5$  bits

# Password entropy examples

Extra  
material

- Random 8-character (printable ASCII) passwords:  $H = \log_2(95^8) = 52.6$  bits
- Random 8-character passwords with exactly two upper case, two lower case, two digits, two special characters:
  - 26 capitals, 26 non-capitals, 10 digits, 33 other
  - Orderings  $8!/(2! \cdot 2! \cdot 2! \cdot 2!) = 2520$
  - Different passwords:  $26^2 \cdot 26^2 \cdot 10^2 \cdot 33^2 \cdot 2520$
  - $H = \log_2(26^2 \cdot 26^2 \cdot 10^2 \cdot 33^2 \cdot 2520) = 46.8$  bits
- Random 8-character alphanumeric password with at least one upper case and at least one digit:
  - All 8-character alphanumeric passwords:  $62^8$
  - Those with no upper case:  $(62-26)^8 = 36^8$
  - Those with no digit:  $(62-10)^8 = 52^8$
  - Those with with no upper case and no digit:  $(62-26-10)^8 = 26^8$
  - Allowed passwords:  $62^8 - (36^8 + 52^8) + 26^8$  (inclusion exclusion principle)
  - $H = \log_2(62^8 - (36^8 + 52^8) + 26^8) = 47.2$  bits
- Random alphanumeric passwords with one special character:
  - 7-character alphanumeric passwords:  $62^7$
  - 33 special characters to choose from, 8 possible locations to insert it
    - $H = \log_2(62^7 \cdot 33 \cdot 8) = 49.7$  bits
- So what? The rules have different effect on user-chosen and random passwords

# Password entropy and humans

- Human-selected passwords have less entropy than random ones because some are chosen more often than others
  - Should banks allow the customer to choose the PIN?
  - Do password quality guidelines and checks increase entropy?
- Passwords rely on human memory → password entropy cannot grow over time → human memory cannot compete with brute-force cracking by computers

# Human-chosen 4-digit PINs




Figure 4.2: The distribution of 4-digit sequences within RockYou passwords (RockYou-4). Each cell shows the frequency of an individual PIN.

Bonneau, Joseph:  
[Guessing Human-Chosen Secrets](#), PhD Thesis, University of Cambridge, 2012.

# NIST Password Guidelines

Extra  
material

- NIST Special Publication 800-63 Digital Identity Guidelines:  
[B: Authentication and Lifecycle Management](#) (June 2017)
  - “Verifiers SHALL require subscriber-chosen memorized secrets to be at least 8 characters in length. Verifiers SHOULD permit subscriber-chosen memorized secrets at least 64 characters in length.”
  - “When processing requests to establish and change memorized secrets, verifiers SHALL compare the prospective secrets against a list that contains values known to be commonly-used, expected, or compromised.”
  - “Verifiers SHOULD NOT impose other composition rules (e.g., requiring mixtures of different character types or prohibiting consecutively repeated characters) for memorized secrets.”
  - “Verifiers SHOULD NOT require memorized secrets to be changed arbitrarily (e.g., periodically). However, verifiers SHALL force a change if there is evidence of compromise of the authenticator.”
  - “In order to assist the claimant in successfully entering a memorized secret, the verifier SHOULD offer an option to display the secret — rather than a series of dots or asterisks — until it is entered.”

<https://pages.nist.gov/800-63-3/sp800-63b.html>


# **OTHER PASSWORD SECURITY ISSUES**


# Sniffing and key loggers

- **Password sniffing on the local network** is prevented by cryptographic authentication (SSH, HTTPS, MS-CHAPv2,...)
- **Key logger**: software or hardware that stores all keystrokes typed on the computer
  - Problem in public-access computers
  - **Malware** can sniff passwords on any infected computer



# Shoulder surfing

- Keyboards and screens are highly visible  
→ Others may see what you are typing
- Password and PIN inputs are usually masked 
  - Does masking always make sense?  
Increasingly, option to show the characters if in a safe place
- Remember also hidden cameras and telephoto lenses





# Spoofting and phishing attacks

- For console login, attacker tries to **spooft the login dialog**; how do you know when it is safe to type in the password?
- For web login, attacker tries to **spooft the login page for a web site**
- For mobile apps, one app tries to spoof the login interface of another (e.g. online bank)



To begin, click your user name



**Tuomas**

Type your password



VM



**Turn off computer**

After you log on, you can add or change accounts.  
Just go to Control Panel and click User Accounts.

# Trusted path

- What if attacker **spoofs the login dialog**?
- **Trusted path** is any mechanism that ensures direct and secure communication between user and a trusted part of the system
  - **Crtl+Alt+Del** in Windows (**secure attention key / sequence**)
  - **Reset button** in all kinds of devices
  - Web browser **address bar**
- With malware, virtualization and full-screen apps, it is increasingly hard to know what is real



# Password reuse

- Same or related passwords on multiple accounts
  - compromise of one system or account leads to compromise of the user's other accounts

## Solutions:

- Password manager that stores and generates random passwords
- Single sign-on (SSO)
  - Shibboleth SSO to university web pages
  - Microsoft AD, IBM Tivoli Access Manager, etc.
  - Facebook, Google, etc. login on many websites

User solution

Organization solution

# Password recovery

- Humans are prone to forget things → need a process for recovering from password loss

Failure-recovery often enables new attacks!  
This applies to security mechanisms in general

- Some password recovery methods:
  - Physical visit to helpdesk
  - Security question or memorable secret, e.g. mother's maiden name, birthdate
  - Email or text message with authorization code or link
  - Paper notebook, sticky note under the keyboard
  - USB memory stick with a password recovery file
  - Print recovery code as QR code

What are the advantages and disadvantages?

# Other threats

- No system is perfectly secure: system designers have a specific threat model in mind, but the attacker can break these rules

“The attacker does not agree with the threat model.”  
(Bruce Christianson)

- Some other attacks against PINs and passwords:
  - Phishing emails and social engineering
  - User mistakes: using the password on wrong site
  - Side channels: heat camera, acoustic emanations



# **BETTER USER AUTHENTICATION?**

# One-time passwords

- Use each password only once. Protects against password sniffers and key loggers
  - Random one-time passwords
  - Lamport hash chain
  - Unix S/KEY or OTP
    - 1: HOLM BONG VARY TIP JUT ROSY
    - 2: LAIR MEMO BERG DARN ROWE RIG
    - 3: FLEA BOP HAUL CLAD DARK ITS
    - 4: MITT HUM FADE CREW SLOG HAST
  - Many commercial products such as RSA SecurID
  - Code apps and devices for Finnish banks
- Which attacks do one-time passwords prevent and which not?





# One-time password implementation

- One-time passwords can be random strings, but most practical implementations use pseudorandom values and cryptographic (one-way) hash functions
- Hash-based one-time passwords **HOTP** [RFC4226], **OPTW**  
 $HOTP(K,i) = HMAC\text{-}SHA\text{-}1(K,i) \bmod 10^D$ 
  - Produces one-time PIN codes of D decimal digits from master secret K and counter i
  - Server and user's authentication device only remember K and i
- Time-based one-time passwords: instead of counter, use the current time
  - Many commercial products such as **RSA SecurID**
- **Lamport hash chain**:  
 $H_1 = \text{hash}(\text{secret seed}); H_{i+1} = \text{hash}(H_i)$ 
  - Convenient storage: server stores initially  $H_{100}$  and asks user to enter  $H_{99}$ . Next, it stores  $H_{99}$  and ask for  $H_{98}$ , and so on
  - Unix **S/KEY** [RFC1760] and **OTP** [RFC1938]
    - 1: HOLM BONG VARY TIP JUT ROSY
    - 2: LAIR MEMO BERG DARN ROWE RIG
    - 3: FLEA BOP HAUL CLAD DARK ITS
    - 4: MITT HUM FADE CREW SLOG HAST
  - Usability problem: hashes are long random numbers

# Weak and low-entropy credentials

- PIN, graphical passwords, face recognition, fingerprints have recently replaced strong passwords. Why would that be ok?
- **Only for physical access** to device, not for remote access to the device or to related online services
- For access to online services, physical possession of the user device is considered one authentication factor, PIN the other
- Main threat now is **lost and stolen mobile devices**
  - Attacker does not know the user
  - Hardware feature to lock the device after a few trials

# Online accounts

- **User authentication delegated to online server**
  - Device cryptographically locked, and server releases keys after successful authentication
  - Online server can limit the number of password guesses and implement risk-based additional authentication, e.g. 2FA
  - Device must not store the password database and must be online
- **But are the password hashes cached locally?**
  - e.g. Windows login with Microsoft account caches authentication information locally, unless disabled by domain administrator
- **Authentication delegated to a secure hardware module can have similar benefits**

# Password manager

- Password manager for web service passwords
    - Generates long, random, services-specific passwords
    - Protects them all with a single master password
  - e.g. LastPass, Dashlane, F-Secure Key
    - Can also synchronize the database between the user's devices
- Solves the issues with human memory, weak passwords, and password reuse
- Creates a new single point of failure

# **PHYSICAL AUTHENTICATION TOKENS, TWO-FACTOR AUTHENTICATION**

# Physical security tokens

- **Smart card** is a typical physical security token
  - Stores **cryptographic keys** to prove its identity
  - **Tamperproof**: secret keys will stay inside
- Used for door keys, computer login, bank cards
- Other security token:  
**smart button, USB dongle, trusted chip in mobile phone**



# Two-factor authentication (2FA)

- Two-factor authentication =  
require both a physical token and a PIN or password
  - Attacker needs to both steal the physical device and learn the PIN  
→ clear qualitative increase in security
- Context-aware or risk-based authentication:
  - Require additional authentication only when the user is suspicious or requested action requires stronger security
  - Online services can do this intelligently to avoid annoying the user

# Issues with physical tokens

- Physical tokens require **distribution**
- Computers (or doors etc.) must have **readers**
- It is not easy to integrate cryptographic tokens to all systems
  - Application with cached credentials on the client or on a proxy server
  - Systems that need to start automatically after unexpected reboot
- Process needed for **recovering from the loss of tokens**
- Are the two factors really independent?
  - smart card + PIN
  - fingerprint swipe and bank code app on your phone




# Authentication with mobile phone


- **Two-channel authentication** used by major online services:
  - Confirmation via telephone: callback, SMS
  - Confirmation via dedicated mobile app
  - Sending a second secret to a known address: SMS, email, post
  - Alerting user to potentially malicious events
- **Secure element** in mobile phones can be used as a login token
  - The **SIM** is a smart card and could also act as the authentication token

# SUMMARY

# User authentication summary



# Credential lifecycle



[source: Sanna Suoranta]

# List of key concepts

- Entity authentication, user authentication, login, logout, session
- Credential, shared secret, username, password
- Issuing or enrollment, out-of-band channel
- Sniffing, spoofing, malware, trusted path
- Failure recovery
- Brute-force cracking, dictionary attacks, online vs. offline attacks, entropy, probability, security metrics
- Cryptographic hash function, one-way function, salt, PBKDF2, Argon2, one-time password, Lamport hash chain
- Smart card, two-factor authentication, second channel, context-aware or risk-based authentication
- Account and credential provisioning, revocation

# Reading material

- Dieter Gollmann: Computer Security, 2nd ed., chapter 3; 3rd ed. chapter 4
- Matt Bishop: Introduction to computer security, chapter 11
- Ross Anderson: Security Engineering, 2nd ed., chapters 2, 15
- Stallings, Brown: Computer Security: Principles and Practice, 3rd/4th ed., chapter 3
- Bonneau, Joseph: [Guessing Human-Chosen Secrets](#), PhD Thesis, University of Cambridge, 2012.

# Exercises

- Why do you need both the username and password? Would not just one secret identifier (password) be sufficient for logging in?
- What effect do strict guidelines for password format (e.g. 8 characters, at least 2 capitals, at least 2 digits, at least 1 special symbol) have on the password entropy?
- What is the probability of guessing the code for a phone that allows 3 attempts to guess a 4-digit PIN code, then 10 attempts to guess an 8-digit PUK code?
- In what respects is PBKDF2 better for password hashing than the old crypt(3)? How does Argon2 improve on PBKDF2?
- How many hash values can a brute-force attacker test in a second with the latest GPUs? Check also the Bitcoin mining speeds on GPUs.
- How do mandatory periodic password changes increase security? What is the optimal interval for password expiry?
- How to limit the number of login attempts without creating a DoS vulnerability? Consider both an online service and a device like phone.
- Learn about graphical passwords and compare their entropy to passwords and PIN codes of various lengths.
- Learn about HTTP Digest Authentication [RFC2617] and MS-Chap-V2 [RFC2759]. Explain how to perform an offline password guessing attack after sniffing a login.
- Which attacks do one-time passwords / password managers / physical tokens / 2FA prevent, and which do they not?
- Could authentication be based on *who you know* (or who knows you), or *where you are*?