



Aalto University
School of Science

From Design to Implementation

CS-C2120, Programming studio 2

CS-C2105, Programming studio A

27.1.2021

News

- Chapter 16 opens today.
- Recall to ask help, if needed, in Zoom exercise sessions or in Zulip.
- UML task grading will take 1-2 weeks after submission DL.
- Project topics will be published within a week.

From UML to Coding

- How to proceed?
- Package design
- Traits vs. classes?
- Data structures
- Dummies, Stubs and Mocks
- Implementing and testing

How to proceed?

- UML design can be turned into class definitions in a straightforward way.
 - Class names
 - Inheritance
 - Variables
 - Methods
 - Visibility
 - You will probably add more variables and methods later, as well as revise method parameter definitions.
-


Package design

- When the number of classes grows, it is worthwhile to consider identifying major components in the program.
 - The program could be split into separate packages.
 - One way to implement this split is separating the following:
 - User interface operations (gui)
 - Program logic
 - File management
 - Code for testing your classes
 - Many exercise projects in O1 course separated Gui and program logic. See examples there.

Traits vs. classes

- When would you use traits instead of ordinary classes?
- Recall
 - Traits cannot be instantiated.
 - They do not have parameters (in Scala 2).
- Traits can be used to define abstract entities
 - A class which extends the trait has to implement the defined features.
- Classes can extend several traits at the same time.
 - This allows *adding new features (variables, methods) in classes* without using inheritance.

Example: Creatures



```
10 // All creatures, including Me and monsters are derived from this trait
11 trait CreatureType {
12
13   var lifePoints: Int;
14
15   var sleeping : Boolean;
16
17   var currentLocation : Location;
18
19   def createHere(where: Location);
20
21   def picture: Pic;
22
23   def moveTo(world: Level, dir: CompassDir);
24
25   def move();
26
27   def loseLife(howMuch: Int);
28
29   def randomStrike(min: Int, max: Int) = min + Random.nextInt(max - min + 1);
30
31   def destroy: Unit
32 };
33
```



```

35 class Me extends CreatureType {
36
37   val maxLife = 100;
38   var lifePoints = maxLife;
39   var alive : Boolean = true;
40   var carrying = Buffer[Item]();
41   var wielding : Option[Weapon] = None ;
42   var usedRing : Option[Ring] = None ;
43   var strength = 0;
44   var sleeping = false;
45
46   var currentLocation : Location = null ;// Never used, before initializing in createHere method.
47   var hasAmulett : Boolean = false;
48
49   var isConfused = false;
50   var confuseTime = 0;
51
52   var isFrozen = false;
53   var frozenTime = 0;
54
55   def createHere(where: Location) = {
56     currentLocation = where
57   };
58
59   // Initializes my stuff and returns my initial location, where I
60   // start by descending stairs to level 0
61   var initMe : GridPos = {
62     carrying += new Weapon(new WeaponType(6, "Long sword", Pic("weapon.png")));
63     wielding = Some(carrying(0).asInstanceOf[Weapon]);
64     DungeonApp.world(DungeonApp.currentLevel).upwardsPos
65   };
66
67   // My picture is a red circle
68   private val myPic = circle(gridSize, Red).scaleTo(gridSize);
69
70   def picture: Pic = myPic;
71

```

What about abstract classes?


- Scala has the concept *abstract class* that is similar to Java's abstract class.
 - Use traits instead
 - You rarely need to use an abstract class. In fact, you only need to use an abstract class when:
 - You want to create a base class that requires constructor arguments
 - Your Scala code will be called from Java code
 - See, <https://docs.scala-lang.org/overviews/scala-book/abstract-classes.html> for more information
-

About data structures

- Consider relevant questions
 - What kinds of data your program will manage?
 - What data is mutable, what is immutable?
 - How would you access data?
 - with indexes, sequentially, mapping, searching?
- Scala has quite extensive set of collections which help you in managing and storing data in your program.
 - They are highly useful.
 - You can learn more possible data structures on the course CS-A1140/1141.

Examples from DungeonGame

- DungeonGame has many Levels (fixed)



```
val world = Vector[Level]();
```

Examples from DungeonGame

- A level has a variable number of Items and Monsters.

```
val monsters = Buffer[CreatureType]();
```

- A location may have 0..* items

```
var itemList = Buffer[Item]();
```

- Player can carry 0..* items

```
var carrying = Buffer[Item]();
```

Dummies, Stubs and Mocks

- You do not need to complete all classes at once.
- Using skeleton classes helps compiling and testing still incomplete programs.

Dummys

- Use ??? as method “implementation”
 - Calls a method of type `Nothing`
- Allows compilation without doing anything.
- Thus, you can write all method headings ready and delay implementation.

```
class Cafe (val coffeemaker: Coffeemaker) {  
  
  def makeOrderTryCatch(amount: Int): Buffer[Coffee] = {  
    ???  
  }  
  
  def makeOrderTry(amount: Int): Buffer[Coffee] = {  
    ???  
  }  
  
  def addMilk(coffees: Buffer[Coffee]) = {  
    ???  
  }  
  
  def addBeans(): Unit = {  
    ???  
  }  
  
  def cleanMachine(): Unit = {  
    ???  
  }  
}
```



Stubs

- Support step-by-step testing.
- Implements a method so that it returns a “prespecified” value.
- The method can be called when testing the calling method.

Stub example

- You are implementing a class which would manage data from a data base.
- You can write a stub class / method which returns a value without actually reading it from the data base yet, and use this value when testing operations.

Stub example...

```
// The interface class that the actual class would implement
trait CustomerDB {
  def getCustomerByName (name: String): Option [Customer]
}

// A stub that "replaces" the actual class
class CustomerDBStub extends CustomerDB {
  def getCustomerByName (name: String): Option [Customer] = {
    // does not really access the database, but creates this "on the fly"
    Some (new Customer (name))
  }
}
```

Mocks

- An extension to a stub.
- Instead of returning always the same value, Mock can recognize given parameters and return prespecified values, which correspond to given parameter values.
- Thus, mocks support "simulating" more complex cases when full implementation is still ahead.

Stepwise development

- One good practice is to make a testing app with which you can test your classes and methods one by one
 - Creates/manages input test data which is given to methods as parameters or in collections
 - Checks the correctness of returned values or collection content.
 - Possibly prints out their values for observation
- Alternatively, create a simple user interface which allows giving values and observing returned results.
- Third option is building unit tests, which is discussed in Chapter 17.

Break 10 mins

- We continue at 15.10