IBM SPSS Statistics - Essentials for R: Installation Instructions for Windows



Contents

BM SPSS Statistics - Essentials for R:	
nstallation Instructions for Windows .	. 1
IBM SPSS Statistics - Essentials for R: Installation	
Instructions for Windows	. 1
Overview	. 1
Install the IBM SPSS Statistics application	. 1
Download and install R 3.1	. 1
Download and install IBM SPSS Statistics - Essentia	ls
for R	. 1

Before you start using the	BI e	M S	SPS	SS	tati	isti	cs -			
Integration Plug-in for R										
Accessing the R examples	· .									,
Repairing an installation										ļ
Uninstalling IBM SPSS St	atis	tics	- E	Esse	enti	als	for	: R		
components										,

IBM SPSS Statistics - Essentials for R: Installation Instructions for Windows

IBM SPSS Statistics - Essentials for R: Installation Instructions for Windows

The following instructions are for installing IBM® SPSS® Statistics - Essentials for R on Windows operating systems.

Overview

IBM SPSS Statistics - Essentials for R provides you with tools you need to start developing custom R applications for use with IBM SPSS Statistics. It includes the following:

- 1. The IBM SPSS Statistics Integration Plug-in for R for IBM SPSS Statistics 23
- 2. A set of working examples of R applications for IBM SPSS Statistics

Install the IBM SPSS Statistics application

IBM SPSS Statistics - Essentials for R is designed for the following applications:

- IBM SPSS Statistics for Windows
- IBM SPSS Statistics Server for Windows

There are no additional operating system and hardware requirements. The components installed with IBM SPSS Statistics - Essentials for R work with any valid IBM SPSS Statistics license.

If you have not already done so, follow the instructions provided with the software to install one of the IBM SPSS Statistics applications on the computer where you will install IBM SPSS Statistics - Essentials for R. If you are installing IBM SPSS Statistics - Essentials for R on a desktop machine, install IBM SPSS Statistics 23 on the desktop machine. If you are installing IBM SPSS Statistics - Essentials for R on a server machine, install IBM SPSS Statistics Server 23 on the server machine.

Download and install R 3.1

Version 23 of IBM SPSS Statistics - Essentials for R requires R version 3.1 (version 3.1.0 is recommended). Install R on the computer where you will install IBM SPSS Statistics - Essentials for R. It is available from http://www.r-project.org/. You can also download it directly from ftp://ftp.stat.math.ethz.ch/Software/CRAN/bin/windows/base/old/.

Download and install IBM SPSS Statistics - Essentials for R

Be sure to use a version of IBM SPSS Statistics - Essentials for R that is compatible with the version of IBM SPSS Statistics on your machine. Within a major version of IBM SPSS Statistics, such as 23, you must use a version of IBM SPSS Statistics - Essentials for R that has the same major version. It is not necessary to uninstall earlier versions of IBM SPSS Statistics - Essentials for R before installing a newer version.

For users who are working in distributed mode (with IBM SPSS Statistics Server) please install IBM SPSS Statistics - Essentials for R on both the client and server machines.

Download version 23 of IBM SPSS Statistics - Essentials for R, available from the SPSS Community at http://www.ibm.com/developerworks/spssdevcentral.

Windows XP

1. Double-click the downloaded file and follow the instructions that appear on the screen.

Windows Vista or later

You must run the installer as administrator:

- 1. Using Windows Explorer, browse to the folder where you downloaded the file.
- 2. Right-click the downloaded file and choose Run as Administrator.
- 3. Follow the instructions that appear on the screen.

Important:

- If you are installing Essentials for R on a computer that does not have internet access and you plan to use the working R examples included with Essentials for R, then you must obtain any R packages that are required by those examples and manually install them in R. To determine which R packages are required for a specific R example, open the Installed Extension Bundles dialog (Utilities > Extension Bundles > View Installed Extension Bundles) and click the highlighted text in the Summary column for the associated extension bundle (each R example is installed as an extension bundle). The required R packages are listed on the Extension Bundle Details dialog. R packages can be obtained from any of the R CRAN mirror sites, which are accessed from http://www.r-project.org/. Be sure to obtain the versions of the packages that match your R version. The version-specific packages are available from links on the "Contributed Packages" page of the CRAN mirror site.
- For Windows Vista or later, you might be required to install IBM SPSS Statistics Essentials for R from an administrator account on your computer to enable use of the IBM SPSS Statistics Integration Plug-in for R.

Pushing an installation

As an alternative to the manual installation described above you can push the installation to Windows computers. This is most useful for network administrators who need to install to multiple end users. Following is the form of the command line for pushing an installation:

<installer_name> /S /v/qn

where *<installer_name>* is the name of the installer file for IBM SPSS Statistics - Essentials for R--for example: *SPSSStatisticsEssentialsForR_23000_Win64.exe* .

Note: You must have administrator privileges to push an installation.

As part of the installation, any R packages required by the R examples will be automatically downloaded over the Internet if possible. This may take a few minutes.

Before you start using the IBM SPSS Statistics - Integration Plug-in for R

After you install IBM SPSS Statistics - Essentials for R, you will be able to start developing R applications with the IBM SPSS Statistics - Integration Plug-in for R. Complete documentation for the plug-in is available from the topic Integration Plug-in for R in the IBM SPSS Statistics Help system. You may also want to go through the tutorials available from Help>Working with R.

Accessing the R examples

IBM SPSS Statistics - Essentials for R includes a set of working examples of R extensions for IBM SPSS Statistics that provide capabilities beyond what is available with built-in SPSS Statistics procedures. All of the R extensions include a custom dialog and an extension command. The extension commands can be run from SPSS Statistics command syntax in the same manner as any built-in command such as FREQUENCIES. You can generate command syntax for each extension command from the associated custom dialog.

Table 1. Listing of R extensions.

Menu location	Command name	Description	
Analyze>Reports>Apriori	SPSSINC APRIORI	Discover frequent itemsets, association rules using the Apriori algorithm.	
Analyze>Regression>Residual Heteroscedasticity Test	SPSSINC BREUSCH PAGAN	Estimate a linear model and perform a heteroscedasticity test.	
Analyze>Correlate>Heterogeneous Correlations	SPSSINC HETCOR	Calculate correlations between nominal, ordinal, and scale variables.	
Analyze>Descriptive Statistics>Two-Variable or Group Q-Q Plot	SPSSINC QQPLOT2	Two variable or two group Q-Q plot.	
Analyze>Regression>Quantile Regression	SPSSINC QUANTREG	Estimate one or more conditional quantiles for a linear model.	
Analyze>RanFor Estimation	SPSSINC RANFOR	Estimate random forest.	
Analyze>Ranfor Prediction	SPSSINC RANPRED	Compute predicted values for new data using forests from SPSSINC RANFOR.	
Analyze>Regression>Robust Regression	SPSSINC ROBUST REGR	Estimate a linear regression model by robust regression, using an M estimator.	
Analyze>Regression>Tobit Regression	SPSSINC TOBIT REGR	Estimate a regression model whose dependent variable has a fixed lower bound, upper bound, or both.	
Graphs>Bagplot	STATS BAGPLOT	Create a bagplot or a matrix of bagplots.	
Analyze>Survival>Cox Regression Extension	STATS COXREGR	Cox (proportional hazards) regression.	
Analyze>Classify>Predict Using Density Cluster	STATS DBPRED	Prediction based on density-based clustering.	
Analyze>Classify>Density-Based Clustering	STATS DBSCAN	Density-based clustering.	
Transform>Disaggregate a Time Series	STATS DISAGG	Disaggregate a time series into a series at a higher frequency.	
Analyze>Descriptive Statistics>Distribution Fit	STATS DISTFIT	Fit probability distributions.	
Analyze>Regression>Equation Systems	STATS EQNSYSTEM	Estimate system of linear equations.	
Analyze>Scale>Extended Rasch	STATS EXRASCH	Calculate standard and extended Rasch models.	
Analyze>Regression>Firth Logistic Regression	STATS FIRTHLOG	Firth logistic regression.	
Analyze>Forecasting>GARCH Models	STATS GARCH	GARCH models.	

Table 1. Listing of R extensions (continued).

Menu location	Command name	Description			
Analyze>Generalized Linear Models>Generalized Boosted Regression	STATS GBM	Estimate generalized boosted regression models.			
Analyze>Generalized Linear Models>Generalized Boosted Regression Prediction	STATS GBMPRED	Calculate predictions for generalized boosted regression models.			
File>Get R Workspace	STATS GET R	Get information about R workspace contents and create SPSS datasets.			
Analyze>Scale>Graded Response Model	STATS GRM	Fit graded response models to ordinal data.			
Analyze>Regression>Heckman Regression	STATS HECKMAN REGR	Estimate censored/truncated regression or switching regression.			
Analyze>Descriptive Statistics>Inequality Measures	STATS INEQUALITY	Various inequality measures for a variable distribution.			
Analyze>Scale>Item Response Model	STATS IRM	Fit three parameter item response models.			
Analyze>Descriptive Statistics>Fit Smoothed Distributions	STATS KERNEL DENSITY	Fit kernel-smoothed distributions.			
Analyze>Loglinear>Latent Class Analysis	STATS LATENT CLASS	Latent Class Analysis.			
Analyze>Regression>LOESS Fit	STATS LOESS	Fit a loess curve to a model.			
Analyze>Linear Programming	STATS LP	Solve linear and integer programming problems.			
Analyze>Descriptive Statistics>Calculate Adjusted P Values	STATS PADJUST	Calculate p-values adjusted for multiple testing.			
Analyze>Generalized Linear Models>Proportional Regression	STATS PROPOR REGR	Linear models for dependent variables that are proportions.			
Analyze>Generalized Linear Models>Proportional Regression Prediction	STATS PROPOR REGRPRED	Calculate predicted values for proportional regression models.			
Analyze>Regression>Regression Discontinuity	STATS RDD	Regression discontinuity analysis.			
Analyze>Regression>Regression Relative Importance	STATS RELIMP	Relative importance measures for regression.			
Analyze>Regression>Structural Change Detection	STATS STRUC CHANGE	Test for structural change in regression models with ordered cases.			
Analyze>Survival>Parametric Regression	STATS SURVREG	Parametric survival regression.			
Analyze>Classify>Support Vector Machines	STATS SVM	Support vector machine.			
Analyze>Generalized Linear Models>Zero-Inflated Count Models	STATS ZEROINFL	Estimate and predict a zero-inflated count model.			

Important:

The Heterogeneous Correlations extension requires both the IBM SPSS Statistics - Integration Plug-in for R and the IBM SPSS Statistics - Integration Plug-in for Python. The IBM SPSS Statistics - Integration Plug-in for Python is included with IBM SPSS Statistics - Essentials for Python, which is installed by default with your IBM SPSS Statistics product.

Notes

- Help for each of the R extensions is available from the **Help** button on the associated dialog box. The help is not, however, integrated with the SPSS Statistics Help system.
- Complete syntax help for each of the extension commands is available by positioning the cursor within the command (in a syntax window) and pressing the F1 key. It is also available by running the command and including the /HELP subcommand. For example:

SPSSINC HETCOR /HELP.

The command syntax help is not, however, integrated with the SPSS Statistics Help system and is not included in the *Command Syntax Reference*.

Note: The F1 mechanism for displaying help is not supported in distributed mode.

- If the menu location that is specified for an extension command is not present in your IBM SPSS Statistics product, then look on the **Custom** menu for the associated dialog.
- The dialogs were created with the Custom Dialog Builder in IBM SPSS Statistics. You can view the design for any of the dialogs and you can customize them using the Custom Dialog Builder. It is available from Utilities>Custom Dialogs>Custom Dialog Builder. To view the design for a dialog, choose File>Open Installed from within the Custom Dialog Builder.
- The implementation code (R source code file) and XML specification files for each of the R extension commands can be found in the location where extension commands are installed on your computer. To view the location, run the SHOW EXTPATHS syntax command. The output displays a list of locations under the heading "Locations for extension commands". The files are installed to the first writable location in the list.
- You may need to set your SPSS Statistics locale to match the SPSS Statistics output language (OLANG) in
 order to display extended characters properly, even when working in Unicode mode. For example, if
 the output language is Japanese then you may need to set your SPSS Statistics locale to Japanese, as in
 SET LOCALE='japanese'.
- Other extension commands that are not included in IBM SPSS Statistics Essentials for R are available
 for download from the Download Extension Bundles dialog, accessible from Utilities>Extension
 Bundles>Download and Install Extension Bundles. The Download Extension Bundles dialog also
 displays any updates that are available for the extension commands included with IBM SPSS Statistics Essentials for R in addition to updates for any other extension bundles that you installed.
- If you are installing extension bundles on SPSS Statistics Server, you can use a script to install multiple extension bundles at once. For information, see **Core System > Utilities > Extension bundles > Installing local extension bundles > Batch installation of extension bundles** in the Help system.

Repairing an installation

If you uninstall and then reinstall the IBM SPSS Statistics 23 application or R 3.1, then please uninstall and then reinstall version 23 of IBM SPSS Statistics - Essentials for R.

Uninstalling IBM SPSS Statistics - Essentials for R components

- 1. Uninstall IBM SPSS Statistics Essentials for R 23 from the Windows Control Panel.
- 2. Uninstall R version 3.1 from the Windows Control Panel, if desired.

IBM.

Printed in USA