

Appendix 3: Master's thesis introductions

In **engineering**, although the models for **research article** and **master's thesis** introductions are similar in content and problem-solution structure, the model for engineering master's theses (Fig. 3.1) can require two additional elements: **Move 3** and **4-3** (**Thesis scope**).



Master's Introduction Chapters in Engineering (MICE)

MOVE 1 CURRENT SITUATION (compulsory)

(What is the wider context of the topic studied?)

Step 1: Making a centrality claim

(Why is this topic area important or relevant?)

Step 2: Making topic generalizations

(What features are important to know about this topic?)

AND/OR

Step 3: Reviewing previous research and solutions

(What earlier solutions or related work have been done in this area?)

MOVE 2 PROBLEM (compulsory)

(What is wrong or missing from current solutions?)

Step 1: <u>Indicating drawbacks and shortcomings</u>

(What are the limitations or inadequacies of current solutions?)

AND/OR

Step 2: Identifying a gap

(What area remains unstudied or overlooked in current solutions?)

MOVE 3 PROPOSING A NEW APPROACH (optional)

(What new strategy could solve this problem?)

Step 1: Introducing a potential solution

(What new idea could work?)

Step 2: Justifying the approach

(What are the advantages or benefits of this new approach?)

MOVE 4 YOUR SOLUTION (compulsory)

(How will your thesis overcome this problem or fill this gap?)

Step 1: Research Aims (required)

(What will the thesis achieve?)

Step 2: <u>Methods</u> (required)

(How will you use to develop and verify/validate your solution?)

Step 3: Thesis scope (optional)

(How much of the topic / problem will you address in the thesis?)

Step 4: <u>Describing the main outcome</u> (optional)

(What are the features of your solution?)

Step 5: Overview of thesis structure (required)

(What are the aims and contents of the following chapters?)

Figure 3.1 Model for master's thesis introductions in engineering (Pennington, unpublished), adapted from the CaRS Model for research articles (John Swales, 1994).



MOVE 1: CURRENT SITUATION

This first move in the MICE model presents background knowledge necessary for the reader to understand the context for the problem and solution offered in your thesis. Move 1 consists of three steps, which are described below.

Move 1-1 Making a centrality claim

Many writers find the first opening sentence to be a difficult one to create. To get an idea of what strategies are typically used in your own field, take a look at journal papers in your own field. In engineering texts, one conventional strategy for beginning the introduction is to describe the wider context of your topic area by making a *claim* about its **importance**, **relevance**, **current state**, or **popularity**. This step is usually found in the opening sentences of the introduction, is rarely longer than 1-3 sentences, and should be supported by *citations*, *examples* or other *evidence* to back up the claim.

IMPORTANCE (Theoretical or Real-world):

Maintenance has become increasingly important to the industrial automated manufacturing process.

Electronics **have been <u>increasingly</u> incorporated** into everyday life, and **are** a <u>vital</u> component of modern society. One of the greatest ...

Visual object tracking is an <u>important</u> component in smart systems such as traffic monitoring systems, surveillance systems, and robot navigation systems.

RELEVANCE (Applications):

Cellphones are <u>increasingly</u> being used as a common platform for a <u>wide</u> variety of health and wellness-related applications.

With advances in digital filter research and technology, digital filters [1] **have become** a **common** subsystem in **many** digital signal processing and communications applications.

CURRENT STATE (Recency):

With **recent** advances in enabling technologies, intelligent robots **have** <u>increasingly</u> **been** us**ed** in applications that require the robot to navigate autonomously in unstructured environments.

In recent years, computer vision algorithms have played a growing role in surveillance systems.

Recently, the emergence of the smart grid has created new opportunities for using power plant capacity.

POPULARITY:

Recently, there **has been** <u>increased</u> interest in developing biometrics-based authentication systems, which **has led** to <u>intensive</u> research in fingerprint, face, hand, ear, and iris recognition.

Recent advances in solid-state technology **have led** to the <u>widespread</u> use of energy-efficient, high-illuminance light emitting diodes (LEDs) for illumination [1].

Face identification, one of the most practical problems in computer vision, has attracted <u>much</u> attention in recent decades [3], [4], [8], [17], [24].

Because engineering is a profession that seeks to incrementally develop new solutions or improve current solutions to human problems, engineers tend to value more highly those ideas and solutions that are **new**, **cutting-edge** and **state-of-the-art**. Therefore, it is not surprising that these values are reflected in their writing. This can be clearly seen in the common use of **time expressions** to show how **recent** the idea is, as well as to specify a best-before date. **Recency** can also be emphasized through the use of either

- (1) the **present perfect tense** (*has/have -ed*) to indicate that the relevance of the claim is not limited to the past but continues into the present, or
- (2) less frequently the **present continuous tense** (*is/are –ing*) to highlight the ongoing nature of the action described.

As illustrated below in Figure 3.2, this pattern for opening your text consists of three elements: (1) a **time span**, (2) a claim in the **present perfect tense**, and (3) **reason / evidence** to support your claim.

[Time span] + Present perfect + [adverb] + [reason] Recently, as a result of In recent years, construction costs *have* dramatically *risem* due to the need to Over the last decade, because of [Time span] + Present perfect + [adjective] + [reason] Recent years seen as a result of The last decade *"have|haธ*า witnessed โ a dramatic rise in construction costsdue to The past four years brought because of

Figure 3.2 Typical structure of first sentences in engineering introductions

Experienced writers in engineering typically use four **conventional sentence patterns** as the **"opening" sentence** in a text to stress the *popularity*, *importance* or *relevance* of the wider topic [Move 1-1]. See **Appendix 4** for the typical vocabulary used in these topic sentences.

1. {TIME} [TOPIC] has [VERB -ed] [INTENSIFIER] + attention + [REASON]

In the recent decade, chitosan has received much attention because of its extraordinary properties and for its inexpensive abundant resources.

2. {TIME} [TOPIC] has [VERB -ed] + [INTENSIFIER] + interest in [FIELD]

[REASON]

Over the last decade, hydrogen has generated much interest due to its potential use as an environmentally benign approach for energy generation, as well as its ease of transportation [1, 2].

3. {TIME} [TOPIC] + has emerged as a [n] + [INTENSIFIER] [SUPERORDINATE] [PURPOSE]

In recent years, graphene has emerged as a promising material for optoelectronic applications due to its special two-dimensional system and unique band structure.

4. {TIME} [TOPIC] + has been the focus of + [INTENSIFIER] [RESEARCH ACTIVITY]

In the past few years, the energy efficiency of communication networks has been the focus of intense research.

Move 1-2: Making Topic Generalizations

Topic generalizations are text that **defines**, **explains** or **describes** a concept. As a rule of thumb, if you can insert into a sentence **adverbs of frequency**, (e.g. "typically", "generally", "usually", "often", "commonly", "always") or a phrase claiming common knowledge "it is well known that", then you can be sure that you are generalizing about your topic.

Topic generalizations represent accepted knowledge and therefore require the **simple present tense** (*do/does*), since they have the status of "eternal truths". Typical **functions** for generalizing about technical concepts include

- Definitions
- Descriptions of technical features
- Applications
- Examples
- Classification / Division into sub-types or groups

1 Introduction

Move 1-1

1With a massively growing population, natural and man-made disasters have become increasingly inevitable 2During these threats, a need for communication arises among people to cope with these emergencies and coordinate rescue operations.

3These rescue operations can only be supported by telecommunication networks, which are commonly referred to as Public Safety Networks (PSN)

networks, which are **commonly** referred to as Public Safety Networks (PSN).

4PSNs have gained increased attention due to their ability to provide better control of systems and their support offered in perilous conditions.

5PSNs are emergency services which require a wireless network to function.

6They assist emergency services, such as fire trucks, ambulances and police cars, which need communications for increased efficiency.

7PSN finds usage in applications requiring high performance characteristics in systems, such as connectivity on the move, high reliability in voice, increased efficiency and the capability of cooperating with other departments.

8However, due to the requirements of higher bandwidth, the usage of PSN has been limited by

Move 2-1

present-day systems, resulting in the **need** to develop efficient solutions.

Saimanoj Katta Rokkaiah, "Public Safety Usage in Commercial Networks", M.S. Thesis,

Figure 3.3 Introduction extract showing Move 1-2 (Making Topic Generalizations)

As shown above in Figure 3.3, another typical feature of topic generalizations is that the text stays on topic. In other words, the idea that your text is "about" tends to be placed in topical position (<u>before</u> the verb) as **Given** information until a new subtopic emerges as **New** information (<u>after</u> the verb) to replace it as the topic (See <u>Information Ordering</u>).

School of Electrical Engineering, Aalto University, Espoo, Finland, 2018.

Move 1-3: Reviewing items of previous research

When reviewing past solutions and research, the writer needs to relate <u>what</u> has been done (or proposed) with <u>who</u> has done (or proposed) it. However, before starting to list individual studies and their authors, it is important that you first introduce them in a **topic sentence**. For this purpose, good writers often use the following three topic sentence patterns as strategies for introducing an area of research. See <u>Appendix 5</u> to find out more about the vocabulary typically used in these topic sentences.

5. {TIME} [INTENSIFIER] [RESEARCH ACTIVITY] has [VERB -ed] [PURPOSE]

Recently, much research has been devoted to developing efficient routing protocols for marshalling packets through the network [1-7].

6. {TIME} [INTENSIFIER] progress has been [VERB -ed] in [TOPIC]

In recent years, much progress has been achieved in the development of biodegradable products using agricultural materials.

7. {TIME} [QUANTIFIER] [RESEARCH ACTIVITY] have (been) [VERB -ed] [TOPIC] [PURPOSE]

A number of METHODS have recently been described to measure this property, including the Tarr-Baker gelometer (Bender, 2009) and the Herbstreith Pektinometer (Zedler, 2013).

Also, note in Figure 3.4 how this move is signaled by the use of **citations**, e.g., [15], and the **present perfect tense** (*has/have –ed*) when referring to multiple studies or the current consensus in the field.

Move 1-3

⁹In recent years, **much work has been** devoted **to** integrating commercial systems with PSN in order to mitigate the above issues [15]. ¹⁰Several studies **have** surveyed the current state of PSN, its future trends and state-of-the-art research [1][2][3]. ¹¹Unfortunately, the telecommunication system built for the social community used by commercial users operates on a **different** infrastructure. ¹²Moreover, the existing PSN systems present in various countries operate on **different** frequencies, thus **hinder**ing the inter-dependability of these systems. ¹³Nevertheless, **researchers** are working to make the coexistence on a single platform a reality [11]. ¹⁴Recently, much progress has been achieved in the development of various solutions for integrating the PSNs and Commercial networks through multiple models, proposals and approaches, resulting in higher efficient usage of these systems [4][5].

Move 1-3

Move 2-1

Saimanoj Katta Rokkaiah, "Public Safety Usage in Commercial Networks", M.S. Thesis, School of Electrical Engineering, Aalto University, Espoo, Finland, 2018.

Figure 3.4 Extract showing Move 1-3 (reviewing items of previous research)

MOVE 2: PROBLEM

As a thesis writer you need to show the "motivation" for your study. One way to do this is by showing that the previous research history or current solutions are not complete. In other words, that there are aspects of the research field or solution still needing further investigation.

Move 2-1: Indicating drawbacks and shortcomings

The most common way of achieving this is to present a *negative evaluation* of some feature of **Move 1**. This is often signaled by words expressing a *contrast* or *negative evaluation*:

CONTRAST	QUANTITY	VERBS		ADJECTIVES		
However Unfortunately Although Despite	≭few less ≭little	neglect hinder		difficult laborious limited restricted	ineffective inconclusive uncertain unclear	
but yet	none not	impede prevent	deter prevent	inefficient unreliable	time-consuming unsatisfactory	

Figures 3.3 and 3.4 show typical examples of how **Move 2-1** can be used as a strategy to make a smooth transition between different solutions by pointing out the deficiencies in each earlier solution. This strategy is often used in science and engineering to review the literature in "**cycles**" of **Move 1- Move 2**, **Move 1-Move 2**, **Move 1-Move 2**, ending when the writer finally reaches his/her own solution by announcing the **Research aims (Move 4-1)**, as can be seen below in Figure 3.5.




Figure 3.5 Extract showing cycling of Move 1 and Move 2 leading to Move 4-1

and Forest Stands," M.Sc. thesis, School of Elec. Engineering, Aalto Univ., Espoo, Finland, 2018.

Move 2-2: Identifying a gap

When very little or no research is available on your thesis topic, another common strategy is to first describe those research areas in your field that have received attention (Move 1-3), and then go on to claim that **no** studies/research, **little** research, or **few** studies have proposed solutions to the problem that you aim to solve in your own study (Move 2-2). Note that the structures and vocabulary presented as **Topic sentence type 5** in <u>Appendix 5</u> are often used to establish a gap by replacing the *positive* quantifiers with *negative* ones, such as **no**, **none**, **less**, **few** or **little**.



5. {TIME} [INTENSIFIER] [RESEARCH ACTIVITY] has [verb -ed] + [TOPIC]

Although much work has addressed [closely related topic], no / few studies have focused on [your topic].

Despite the large number of studies investigating [closely related topic], less / little work has focused on [your topic].

Move 1-2

Move 1

²⁴However, setting up an orchestration engine involves **costs** in terms of integration and set-up time. ²⁵Although numerous studies **have** investigated the performance aspects of orchestration in service delivery, **few of these have** focused on it from a techno-economic perspective.

²⁶Therefore, the aim of this thesis is to evaluate the economic feasibility of adopting an orchestrator for service delivery processes used in a highly virtualized data center environment that leverages SDN and NFV.

Mark Sederholm, "Techno-Economic Analysis of Software-Defined Data Center Networks," M.S. thesis, School of Electrical Engineering, Aalto University, Espoo, Finland, 2017.

Figure 3.6 Extract showing Move 2-2 (Identifying a gap)

Move 2-2

Move 4-1

MOVE 3: PROPOSING A NEW APPROACH

Because the task of engineers is to create new solutions to problems, **Move 3** is a common strategy used in engineering, especially in those master's theses that aim to **evaluate the feasibility** of applying a new technological approach either for solving a problem or for improving a current solution. Therefore, it is important that a "**problem**," **Move 2-1** (Indicating a problem) or **Move 2-2** (Identifying a Gap), has been introduced in the previous sentence.

Move 3-1: Introducing a potential solution

This step is typically signaled using the following language structures:

One A(n)	promising potential possible interesting	approach strategy	ta ac sc av	overcom ackling address solving avoiding nitigatin	ing	this is	roblem ssue hallenge	would be to [do what?]
	problem issue challenge	ta a s a	verc o me ackl ed ddress ed olv ed void ed nitigat ed		adop us in ç	g	[approac	h]

Move 3-2: Justifying the approach

In Figure 3.7 note the use of the **conditional voice** (*would*, *could*) to indicate that at this point in your thesis, you can only *speculate* or have a "*hunch*" that your approach *might* work, as it is not until the end of your thesis that your *results* will either confirm or disprove the feasibility or efficacy of your new approach:

Move 2-2

¹⁵Despite the significant amount of work focusing on integrating PSN into commercial systems, **few studies have** attempted to improve the performance of these systems by prioritising users through the use of schedulers [10].

Move 3-1

¹⁶One possible approach to achieve even higher performance would be to provide courteous priority [15] to PS users during emergency situations when sufficient resources are available. ¹⁷Because commercial and public safety users can be blocked during lower availability of resources, the Courteous Bandwidth Constraints Allocation Model (CAM) was introduced to improve the performance of lower classes of traffic [16]. ¹⁸CAM has the advantage that it would allow integrated systems to have less packet loss, higher throughput and less delay.

Move 3-2

Adapted from Saimanoj Katta Rokkaiah, "Public Safety Usage in Commercial Networks", M.S. Thesis, School of Electrical Engineering, Aalto University, Espoo, Finland, 2018.

Figure 3.7 Moves 3-1 (reviewing items of previous research) and 3-2 (Justifying the approach)

MOVE 4: YOUR SOLUTION

Move 4-1: Research Aims

It is important that the purpose statement is placed towards the end of your introduction, after explaining the relevance and importance of the topic, current research in the field, and the specific problem motivating your study. The purpose statement should not only be presented as providing a solution to this previously stated problem but should also arise as the only logical conclusion that can be drawn based on that problem. Therefore, the wording of your purpose statement should directly reflect what you have stated as a problem in the sentence(s) coming immediately before the purpose statement.

1. What is your contribution?

Instead of simply describing your topic area or making a knowledge claim, your purpose statement should be to emphasize the **contribution** of you work by highlighting the main **outcome** or **product** of your study. To accomplish this, you need to identify the concrete outcome(s) of your study. What will your work specifically offer to the reader?

- **A.** Will you offer your readers a new *theory*, *framework* or *model* to **describe** a phenomenon or system, which you will then *test* and *validate* using pre-defined criteria or requirements?
- **B.** Are you going to **design**, **develop** and **prototype/implement** a new **tool**, **device**, **method**, **protocol** or **process** to carry out specific tasks or functions?
- **C.** Will you **improve** or **optimize** a current solution by adapting or applying a new technology, followed by its *evaluation* and *comparison* to an existing solution.
- **D.** Will you *evaluate* and *test* a new technology to determine the *feasibility* (i.e., possibility, potential, suitability) of implementing the technology in a specific context?
- **E.** Or will your contribution be a *recommendation* based on identifying relevant *options*, followed by *comparing* and *evaluating* these options in terms of particular *criteria* or *requirements*?
- **F.** Or will you **identify**, **determine**, or **analyze** the **parameters**, **characteristics** or **features** of a current solution or phenomenon to aid later in its further development or the creation of a new solution.

Typical "contributions" in engineering are listed in alphabetical order in Table 3.1, with the most common ones highlighted in yellow.

Table 3.1 Typical research contributions in engineering

Algorithm	Framework	Model	System
Approach	Heuristic	Procedure	Scheme
Architecture	Materials	Process	Solution
Design	Mechanism	Protocol	Technique
Equation	Measure	Scenario	Technology
Extension	Method	Strategy	Theory
Formula	Metric	Structure	Tool

2. Elements of Purpose statements

Effective purpose statements can consist of four elements:

- 1. The **contribution** (What outcomes, products or new knowledge will emerge?)
- 2. The rationale/motivation (Why?)
- 3. The **method** (How?)
- 4. The **scope** (Where? In what *context*, *system* or *environment*?)

Note in the examples below how much clearer the purpose is when the focus is shifted from a focus on the writer's problem to that of the **contribution** of the study.

Poor: [how?]

The aim of this thesis is to find out how interpolating scaling functions can be used

[why?]

to solve optimal control problems.

Better: [What contribution?] [why?]

The aim of this thesis is to develop computational algorithms for solving the optimal

[How?]

control problems using interpolating scaling functions.

Poor: [what?]

The aim of this thesis is **to find out whether** geothermal production is <u>sustainable</u>

[how?]

by developing sustainability indicators and by applying these to a geothermal system

[why?]

under production in order to test their effectiveness.

Better: [What contribution?]

The aim of this thesis is to identify sustainability indicators and to test their effectiveness

[how?] [where?]

by applying the indicators in a geothermal production system.

3.Structure of Purpose statements

The following sentence patterns are typically used to express the purpose of a thesis.

The	purpose aim goal objective	of this	thesis study work	is to	develop determine identify model optimize	[your contribution]	in order to[why?] for -ing[why?] that /which can by -ing [how?] using [how?] in [where?]
There	efore, der to,	this	thesis study		develops models	[your contribution]	for -ing[why?] in [where?]
			work		determines assesses evaluates	the feasibility of the potential of	

Move 4-2: Describing Methods

This step comes immediately after **Move 3-1** (Research aims) and is generally kept short and only broadly outlines "how" you will **develop** and **verify/validate** your solution.

In or		ccomplish chieve	this	aim, goal, objective,	the thesis	will compare (future tense) compares (present tense)	
	d	evelop	this	solution,	the thesis		
For t	For this purpose, the thesis will compare (future tense) compare (present tense)						
This	aim goal objective	will <u>be</u>	acco	mplish <u>ed</u> ev <u>ed</u>	by comparing using	ng	

One effective "bridge" for smoothly moving from discussion of the purpose and contribution of your thesis to introducing the methods is to use a purpose clause ("In order to + verb" or simply "to + verb"), as shown in the following two examples.

Move 1-3

Move 2-1

⁴⁹In most cases, this challenge is handled by complex software security assurance processes. ⁵⁰Furthermore, as every large software house has its own internal ways of working, it would be difficult to create a standardized, common VMS for all use cases. ⁵¹Although many companies offer VMS services, these have had only limited success. ⁵²Some of the reasons for this include the confidential nature of the processed information, with few companies being willing to share this information with external parties; the need for integrity protection; expectations concerning the availability of the system;

and integration with existing infrastructure. ⁵³Unfortunately, the requirements cannot be fulfilled using current off-the-shelf VMS products.

Move 4-1

Move 4-2

54Therefore, the objective of this thesis is to design the architecture for a vulnerability management system to be incorporated into the software development and maintenance life cycle. 55To accomplish this task, the thesis will compare a number of existing VMSs in order to evaluate their usefulness in terms of the confidentiality, integrity, availability and usability of the system.

Andon Nikolov, "Vulnerability management service for product life cycle," M.Sc. thesis, School of Electrical Engineering, Aalto Univ., Espoo, Finland, 2017.

Move 4-1

Move 4-2

³³Thus, the aim of this thesis is to design and develop a working prototype of a bio-waste bin for collecting household bio waste in urban Finnish environments. ³⁴In order to develop this solution, the thesis will use an ethnographic method to find drivers for the design of the bio-waste bin as well as benchmarking against similar currently available household solutions. ³⁵To ensure the usefulness of the design, the thesis will identify the practical factors that either inhibit or facilitate the sorting of bio-waste in urban Finland. ³⁶This will be accomplished by observing and interviewing people in their own households while doing activities involving bio waste.

Lilli Mäkelä, "Design for discardables - Exploring household biowaste practices in Finland," Master's thesis, School of Arts, Design and Architecture, Aalto Univ., Espoo, Finland, 2017.

In science and technology, two main language structures, **Result-Means** and **Means-Purpose**, have been shown to comprise 40% of the methods statements in research articles [1].

Means-Purpose

1a. The simulation re		were compared are compared		d test data	to validate in order to validate	the model.
2a. FEM simulation	was used is used			the analytic	cal results.	

Result-Means

1b. The model was validated by comparing the simulation results and field test data.

2b. The analytical results **were** verified **using** FEM simulation.




A common grammatical mistake made by Finnish writers is to use "with" rather than "by" when describing the means used to carry out procedures and methods:

1b. The model **was** validated comparison of the simulation results and field test data.

1b. The model **was** validated **by** comparing the simulation results and field test data.

Note in the examples above how these two patterns can be used to move the topical focus from the **result** (outcome) to the **purpose** of the methodological step, and vice versa, in order to maintain cohesion between sentences:



In addition to being used for describing methods, these two patterns also play an important role in

- Chapter overviews and summaries (See <u>Appendix 1</u>) to justify your research process,
- Move 4-4 (Describing the main outcome) in the introduction chapter to describe how your solution works, as well as
- The **Results chapter** (Module 3) to *explain* and *justify* the procedures used to obtain and analyze measurements and experimental results.

^[1] Ian Bruce, 2008. "Cognitive genre structures in Methods sections of research articles: A corpus study." **Journal of English for Academic Purposes**, vol. 7, pp. 38-54.

Move 4-3: Scope

Many novice writers confuse **scope** with the **aim** of the thesis. However, these two are not the same thing. Whereas the **aim** describes **what** your thesis will do to solve the problem, the **scope** defines the **extent** of the problem area that you will deal with in your thesis. In other words, which aspects of the problem will you **include** and what will you **exclude** from the thesis?

Typical language:

```
The scope of this thesis is...
```

- This thesis is limited to / is restricted to / is confined to...
 This thesis focuses only on... / will (only) focus on...
- [--] ...remain(s) beyond / outside the scope of this thesis...
 ...is/are excluded from this thesis, as / since...
 ...will not be considered / is not considered in this thesis, as / since...

1.3 Scope

The scope of the thesis **will be limited to** typical simply supported short to medium span timber-concrete composite road bridges. Short to medium span refers to typical TCC bridges with span I = 10...25 m. The sub-structures **are excluded from the scope**, since they have only a small effect on the behavior of the superstructure, at least when simply supported bridges are considered. Moreover, detailed design of the bridge, i.e. reinforcements, connector design or detailing of the bridge, **is not considered**.

Joonas Jaaranen, "Analysis methods for short to medium span timber-concrete composite bridges," M.Sc. thesis, School of Engineering, Aalto Univ., Espoo, Finland, 2016.

Move 4-4: Describing the main outcome

Here, the writer describes the main features of the outcome (e.g., device, algorithm, model or method) developed in the thesis. This step is most common in Mechanical engineering.

The <u>proposed</u> system consists of a laser source, an electrooptic phase modulator (EOPM), a fiber Bragg grating (FBG), and a photodetector (PD). The light source is **phase modulated by** an electrical Gaussian pulse train via the EOPM. The optical phase modulation to intensity modulation conversion is **achieved by reflecting** the phase modulated light at the slopes of the FBG that serves as a frequency discriminator. Electrical monocycle or doublet pulses are obtained at the output of the PD by locating the wavelength of the optical carrier at the linear or the quadrature slopes of the FBG reflection spectrum.

Move 4-5: Overview of thesis structure

First, the writer introduces the structure with a **topic sentence**:

The **rest/ remainder** of this **thesis / work** is organized as follows.

This thesis is structured as follows.

The **remainder** of this **thesis** is divided into five chapters.

Next, the writer has three alternative structures that can be used to describe each **Chapter** (in theses or dissertations):

Chapter 3 <u>describes</u> the framework used to... (**Text as actor**)

Chapter 4 presents the model used to...

In Chapter 3, I describe the framework used to... (Author as actor)

In Chapter 4, present the model used to...

In Chapter 3, a framework is described that... (Content as subject)

In Chapter 4, a model is presented for ...

A quick-n-dirty analysis revealed the following 21 verbs to be common in electrical engineering:

analyze	discuss	introduce	report
assess	evaluate	outline	review
define	examine	present	summarize
derive	explain	propose	survey
describe	explore	provide	validate
			verify

Thus, a typical **Step 5** in a master's thesis would look something like the following, with the first sentence serving as a **topic sentence** and one sentence usually being allotted for each *chapter*.

¹The rest of this thesis is divided into five chapters.

²Chapter 2 outlines the methodology used in this thesis. ³Chapter 3 reviews the literature on the various tools and concepts used during the thesis. ⁴Chapter 4 describes the development of a small-signal model including the core loss parameters. ⁵Chapter 5 provides the results of the thesis, including core losses and their associated resistance values, as well as admittances calculated using the small-signal, and DC step voltage test results. ⁶Chapter 6 concludes the thesis by discussing the accuracy of the models and the convergence characteristics of the algorithms.



Headings in Thesis Introductions

Some thesis supervisors at Aalto University offer their students a template describing the content and possible **section headings** that can be included in the introduction chapter for a master's thesis. Although most thesis introduction chapters at Aalto are not divided into sections, analysis of earlier student's theses reveals that the introduction can be divided into as many as **nine sections**, each introduced by a short, numbered **heading**:

- 1. Background
- 2. Motivation (Problem Statement)
- **3. Purpose** (Thesis aims/ objectives/ goals)
- **4. Methods** (Methodology, Experimental)
- 5. Scope
- 6. Client
- 7. Author's Contribution
- 8. Contribution of the thesis
- 9. Structure of the thesis (Outline)

Note that some of these sections can also be combined. For example, some theses combine aims and scope to form a section called "Objectives and Scope", or aims and methods to create "Goals and Methods" as a section heading. These nine potential headings are described with examples below.

1. BACKGROUND

Of these nine possible sections, a section entitled "1.1 background" seems *unnecessary* and *redundant* in view of the fact that the very idea of an "introduction chapter" is to provide enough background that the reader can understand the motivation, relevance and context for the whole thesis. I would suggest that you omit this as a section heading. However, if you choose to include a section called "background," then let it be *short* and *non-technical*; describe the wider setting, the *social implications*, *importance* and *relevance* of this topic. Remember that the introduction should understandable even to your **grandmother**! In other words, let it be the *scene-setting* part that describes the *bigger picture* or context into which your work fits. Avoid going into technical details here. Many students mistakenly feel that they need to give all the theoretical detail here. Save it for the theory or literature review chapter!

2. MOTIVATION

This section, often also entitled "Problem statement", should describe the **problem** or "gap" that will be solved by your solution, which you will later describe in your thesis purpose statement.

1.1 Problem statement

Regarding Internet of Things data, a big question is how to manage the data system in an efficient and cost-effective way. That depends on a proper planning on which DBMS is used to store the concerned data and how it is configured to provide adequate performance. As mentioned before, a variety of databases are currently available, including SQL and NoSQL databases. **However**, which model and solution best fit IoT data is still **an open problem**. As far as we know, there **has not been much research on** a general database solution for IoT data that provides a practical, experimentally-driven characterization of the efficiency and suitability of different databases, especially in the cloud environment. Hence, the thesis addresses **this problem** and looks for a solution that can provide the best performance for the various types and the large amount of IoT data.

Thi Anh Mai Phan, "Cloud Databases for Internet-of-Things Data," M.Sc. thesis, Dept. of Informatics and Mathematical Modelling, Technical University of Denmark, Denmark, 2013.

3. PURPOSE

The thesis purpose statement is one of the most important and difficult part of the introduction chapter. It should immediately follow and show a clear link back to the problem statement. Think of the purpose statement as a promise; your thesis will be evaluated based on how successfully you fulfill this promise. So, be careful to not promise too much or too little!

1.2 Goals

The main purpose of the thesis is to find analysis methods suitable for analyzing TCC bridges and to evaluate their applicability for practical design. The analysis methods means in the thesis a method for determining deformations, stresses and connector forces, so they can be used in the design for dimensioning the structure according the codes considering effects of the permanent and variable loads, inelastic strains due to environmental variations and concrete shrinkage. The method should be applicable in typical bridge design scenarios, including possibility for un-shored or shored construction, and it should be simple enough for practical design, but offer adequate accuracy of the results. As the result of the work a proposal for applicable method and its use was to be given.

Joonas Jaaranen, "Analysis methods for short to medium span timber-concrete composite bridges," M.Sc. thesis, School of Engineering, Aalto Univ., Espoo, Finland, 2016.

5. SCOPE

Many novice writers confuse **scope** with the **aim** of the thesis. However, these two are not the same thing. Whereas the **aim** describes **what** your thesis will do to solve the problem, the **scope** defines the **extent** of the area that you will deal with in your thesis. In other words, what will you **include** and what will you **exclude** from the thesis?

1.3 Scope

The scope of the thesis **will be limited to** typical simply supported short to medium span timber-concrete composite road bridges. Short to medium span refers to typical TCC bridges with span l = 10...25 m. The sub-structures **are excluded from the scope**, since they have small effect on the behavior of the superstructure, at least when simply supported bridges are considered. Also, detailed design of the bridge, i.e. reinforcements, connector design or detailing of the bridge, **is not considered**.

Joonas Jaaranen, "Analysis methods for short to medium span timber-concrete composite bridges," M.Sc. thesis, School of Engineering, Aalto Univ., Espoo, Finland, 2016.

6. CLIENT / PROJECT

In theses that are written for a client *company* or a *university project*, it is natural that the introduction would briefly describe the client's/ project's context and motivation for wanting the study. However, avoid filling your introduction with a detailed description of the client company/project, its environment and reasons for commissioning your study. You should also consider where would be the most appropriate place to put this information: Should it be put into its **own section**, or into a section describing the **motivation** (i.e., the problem)? The **thesis aims**? The **scope** section? Would the company prefer to remain **anonymous**? Or is this simply **background** information that provides the context for your work, as shown in example below?

1 Introduction

Eniram Ltd focuses on optimizing the performance of marine vessels and fleets in various ways. **The fleets in question consist of** a wide variety of vessels from large cruise ships to tankers. The optimization is achieved by analyzing data that is collected on board the vessels from, for example, the vessels' integrated automation systems (IAS), navigation systems and **Eniram's** own sensors. The types of data include the GPS coordinates, speed, power and attitude of a vessel. The on-board system provides real time information to aid the crew's decision making. In addition, the data is transferred to a data center on shore for further analysis and fleet-wide performance review.

Juuso Mäyränen, "Compression of Marine Vessel Telemetry," M.S. thesis, School of Science, Aalto Univ., Espoo, Finland, 2011.

In this second example, the project was highlighted in a separate section of its own.

1.2 The NewTREND Project

This thesis forms part of the European Union's NewTREND Project, which aims to develop a new software-based methodology to make retrofitting of buildings more efficient and easy. In the long run, the aim of the NewTREND project is to improve the energy efficiency of the existing European building stock and renovation rate. To achieve this goal, an integrated design methodology for building energy retrofit will be developed that addresses all phases of the retrofitting process. The project also aims to encourage collaboration among all stakeholders, involve building inhabitants and establish energy performance as a key component of retrofitting.

Tatu Jämsén, "New energy analysis process for the design of building retrofits," M.S. thesis, School of Engineering, Aalto Univ., Espoo, Finland, 2016.

7. AUTHOR'S CONTRIBUTION

Finnish government statutes regarding the awarding of master's theses clearly state that the thesis must not only be written by the student, but must also represent an *independent contribution*. This can cause problems when your thesis forms part of a larger project involving many master's theses. In such cases, your supervisor may require that include a section in your introduction chapter that defines what **you** personally did in the project.

1.3 Author's contribution

In this section, we list the author's contributions to this work. In performing the experiments with the SHAREMIND framework, the author was responsible for setting up the nodes in the cluster environment. The author did the scripting work related to gathering and aggregating the results. Some of the existing data gathering tools in SHAREMIND were extended by the author to allow for more precise statistics about the network.

In the model analysis, <u>the author</u> performed various tasks such as fitting the model to the gathered data and calculating the communication coefficients depending on the assumed network connection. Estimating the accuracy of the fit and the significance of the model coefficients was also carried out by the author in the model validation process.

As with the cluster machines, <u>the author</u> was responsible for setting up the SHAREMIND configuration in the cloud environment. This required some research on the existing cloud service providers and their pricing models, available server configurations, data center locations and other aspects affecting the choice of the provider. <u>The author</u> also managed the experiments in the cloud and executed the validation of our model on the data gathered in these experiments.

Finally, in the feasibility analysis, <u>the author</u> estimated the cost of performing certain operations in the cloud environment. An evaluation of the feasibility of SHAREMIND deployments in the cloud was made based on the estimates.

Reimo Rebane, "A Feasibility Analysis of Secure Multiparty Computation Deployments," M.S. thesis, School of Science, Aalto Univ., Espoo, Finland, 2012.

8. CONTRIBUTION OF THE THESIS

Some departments may require that you include this section, in which you clearly list what you have created or developed as a result of your work. However, as we have already seen, this not a problem if you have clearly stated your "contribution", as a *method*, *algorithm*, *model* or *design*, in the **research aims** of your thesis.

1.3 Contribution of the Thesis

This thesis <u>proposes</u> a novel approach to control congestion in CCNs by early detection of congested links based on computed probability of data packet drops for next time instances. A Neural Network technique is used to realize this goal of avoiding deterioration of network throughput. In various network scenarios, we <u>demonstrate</u> the advantage of early detection of congested links and <u>provide</u> a performance analysis using ndnSIM simulation environment. Our simulation results <u>show</u> that the proposed method is efficient and effective in early congestion detection in terms of applied performance metrics. The technique also <u>provides</u> multiple options for CCN-routers to decide in response to impending congestion in advance. Moreover, the proposed technique can be considered to be a general solution for congestion problem of ICNs in a more broad sense.

Mohammad Hovaidi Ardestani, "Congestion Control in Information Centric Networking using Neural Networks," M.S. thesis, Dept. Elect. Eng., Aalto Univ., Espoo, Finland, 2014.

9. THESIS STRUCTURE

In those theses that do <u>not</u> follow the traditional *Introduction-Methods-Results-Discussion* (IMRD) structure to organize the thesis, it is essential that you map out the structure of your thesis. Note the use of a **topic sentence** "The rest of this thesis is organized as follows" to introduce a description of each chapter.

1.4 Structure

The rest of this thesis is organized as follows. Chapter 2 reviews the literature covering the methods used in the process. Chapter 3 describes the development of the process. Chapter 4 presents the piloting of the new process. Chapter 5 discusses the different elements and aspects included in this process, as well as provides further development needs. Finally, Chapter 6 summarizes the work and presents the most important conclusions drawn from the piloting of the process.

Tatu Jämsén, "New energy analysis process for the design of building retrofits," M.S. thesis, School of Engineering, Aalto Univ., Espoo, Finland, 2016.